

Rittal – The System.

Faster – better – everywhere.

Socket – SZ 2506.100

Date : May 12, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Socket – SZ 2506.100

created: 12.05.2017 on www.rittal.com/com-en



Product description

Description: For mounting on support rails TS 35/7.5 and TS 35/15 to EN 60 715 Screw terminals uniformly accessible from one side. Enclosure width 45 mm.

Material: Polyamide

Colour: Grey

Standards: DIN VDE 0620-1
DIN 49 440-1

Product features

Rated voltage: 250 V AC

Rated current (max.): 16 A

Equipment (electrical): Jack/socket (type): D, earthing-pin (type F, CEE 7/4)

Packs of: 2 pc(s).

Weight/pack: 0.14 kg

Customs tariff number: 85369095

ETIM 6.0: EC000330

ETIM 5.0: EC000450

eCl@ss 8.0/8.1:	27142604
eCl@ss 7.0/7.1:	27142604
eCl@ss 6.0/6.1:	27142604
eCl@ss 5.1/5.1.4:	27143401
Product description (long):	SZ Socket for mounting on support rails, Schuko, CEE 7/4
Approvals	
Approvals:	VDE
Certificates:	EAC

2017 © Rittal GmbH & Co. KG