



Desoutter Eastern Europe
Part of SAS Etablissement Georges Renault
Chemická 1, 831 04 Bratislava, Slovakia
www.desouttertools.eu

Date : 22/07/2016
GAC 858

Hello,


Further to your enquiry, please find enclosed our best offer to cover the requirements for the application.

Description:

CP0351 with custom made c-yoke according to customer application and requirement



C-Yoke main dimensions:



R = 89mm
G = 38mm
Outer dimensions : no limitations
Weight and size will be optimized.



Desoutter process about special jaws / c-yokes for squeezers:



Note: the above process is valid for both alligator jaws and c-yokes

Even though a 3D printing is recommended for final accessibility check before part manufacturing, this validation remains within customer hands and
In any case, a 2D drawing with the main dimensions will be issued and customer approval will be required prior to launch manufacturing

Scope of supply and unit price :

P/N	Designation
	Design an FEM Analysis
	CP0351 squeezer with taylor made c-yoke

Also includes assembly and testing

Important remark: Unit prices are valid for the quantity mentioned only

Not included:

- Installation and commissioning on site not included
- Rivet sets
- Shims
- 3D printing (can be proposed as an option upon customer request)
- Any handling mean (balancer, zero gravity arm, ...)

Delivery time:

Will leave APC 12 weeks after order receipt, excluding holiday period **AND after clarification of all technical details required, i.e. detailed dimensions for the c-yoke, including confirmation there is no restriction on the outside**

Confirmation on order receipt depending on work flow

Customer approval is required prior to launch the manufacturing. Any delay in this approval will affect customer delivery by the same amount of time

Incoterm

DDP