GYDAD INTERNATIONAL





1. DESCRIPTION

1.1. FUNCTION

Fluids are practically incompressible and cannot therefore store pressure energy.

The compressibility of a gas is utilised in hydraulic accumulators for storing fluids. HYDAC diaphragm accumulators are based on this principle, using nitrogen as the compressible medium.

Diaphragm accumulators consist of a fluid section and a gas section with the diaphragm acting as a gas-proof screen.

The fluid section is connected to the hydraulic circuit so that the diaphragm accumulator draws in fluid when the pressure increases and the gas is compressed. When the pressure drops, the compressed gas expands and forces the stored fluid into the circuit.

Set into the base of the diaphragm is a valve poppet. This shuts off the hydraulic outlet when the accumulator is completely empty and thus prevents damage to the diaphragm.

Note:

HYDAC diaphragm accumulators when fitted with a HYDAC Safety and Shut-off Block comply with the regulations of the European Pressure Equipment Directive (PED) and the German Industrial Safety Regulations (Betr.Sich.V.).

See catalogue section:

 Safety and Shut-off Block SAF/DSV No. 3.551

1.2. DESIGN

HYDAC diaphragm accumulators are available in two versions.

1.2.1 Weld type

int. hex. locking screw	?
pressure vessel	
	11111
diaphragm	
valve plate ———	
valve body	

This consists of:

- Welded pressure vessel, rechargeable on the gas side or, alternatively, completely sealed. Fluid connection available in various types.
- Flexible diaphragm to separate the fluid and gas sections.
- Valve poppet set into the base of the diaphragm.

1.2.2 Screw type

int. hex. locking screw	
pressure vessel	
diaphragm	,
valve plate	
valve body	

This consists of:

- Forged upper section with gas charging connection.
- Forged lower section with fluid connection.
- Exchangeable flexible diaphragm to separate the gas and fluid.
- Vulcanized valve poppet set into the base of the diaphragm.
- Lock nut to hold the upper and lower sections of the accumulator together.

1.2.3 Diaphragm materials

The diaphragm material must be selected in accordance with the particular operating fluid or operating temperature, see section 1.5.

If discharge conditions are unfavourable (high p_2/p_0 pressure ratio, rapid discharge speed), the gas may cool to below the permitted temperature. This can cause cold cracking in the elastomer. The gas temperature can be calculated using the HYDAC Accumulator Simulation Program **ASP**.

1.2.4 Corrosion protection

For use with chemically aggressive fluids the accumulator can be supplied with corrosion protection, such as plastic coating or a galvanic or chemical surface protection. If this is insufficient, then almost all types can be supplied in stainless steel.

1.3. INSTALLATION POSITION

Optional. However, if there is a risk of contamination collecting, a vertical position is preferable (fluid connection at the bottom).

1.4. TYPE OF INSTALLATION

Accumulators up to 2 I can be screwed directly inline.

Where strong vibrations are expected, the accumulator must be secured to prevent it working loose. For weld type accumulators we recommend HYDAC support clamps. For screw type accumulators with lock nut, a suitable support console can be ordered.

For additional male thread on the hydraulic connection for screwing into mounting holes, see table 3.1.

See catalogue section:

• Supports for Hydraulic Accumulators No. 3.502

1.5. GENERAL

1.5.1 **Permitted operating pressure** see tables 3.1. and 3.2.

The permitted operating pressure can differ from the nominal pressure for foreign test certificates.

1.5.2 **Nominal volume** see tables 3.1. and 3.2.

1.5.3 **Effective gas volume** Corresponds to the nominal volume of the diaphragm accumulator.

1.5.4 **Effective fluid volume** Volume of fluid which is available between the operating pressures p_2 and p_1 .

1.5.5 Gas charging

All accumulators are supplied with a protective pre-charge. Higher gas precharge pressures are available on request (gas charging screw or sealed gas connection).

Hydraulic accumulators must only be charged with nitrogen. Never use other gases. **RISK OF EXPLOSION!**

In principle, the accumulator may only be charged with nitrogen class 4.0, filtered to <3 $\mu m.$

If other gases are to be used, please contact HYDAC for advice.

1.5.6 Limits for gas pre-charge pressure

 $p_0 \le 0.9 \bullet p_1$

For diaphragm accumulators with PTFE diaphragms, the following applies: $p_{0tmax} \le 200$ bar

For further information, see catalogue section:

 HYDAC Accumulator Technology No. 3.000

1.5.7 Permitted pressure ratio

Ratio of maximum operating pressure p_2 to gas pre-charge pressure p_0 .

1.5.8 Max. flow rate of the operating fluid

In order to achieve the max. flow rate given in the tables, a residual fluid volume of approx. 10 % of the effective gas volume must remain in the accumulator.

The maximum fluid flow rate was determined under specific typical conditions and is not applicable in all operating conditions.

1.5.9 Operating temperature and operating fluid

The permitted operating temperature of a diaphragm accumulator is dependent on the application limits of the metal materials and the diaphragm. Outside this temperature range, special materials must be used. The operating fluid must also be taken into account. The following table shows the standard selection of elastomer materials with temperature range and a rough overview of resistant and non-resistant fluids:

Materials		Material	Temperature range	Overview of the fluids ²							
		code 1)		Resistant to	Not resistant to						
NBR Acrylo butadi rubber	Acrylonitrile butadiene	2	-15 °C + 80 °C	Mineral oil (HL, HLP) Flame-resistant fluids of the	Aromatic hydrocarbons Chlorinated hydrocarbons						
		5	-50 °C + 50 °C	groups HFA, HFB, HFC Synthetic ester (HEES)	 (HFD-S) Amines and ketones Hydraulic fluids of the group 						
		9	-30 °C + 80 °C	• Sea water	HFD-R • Fuels						
ECO	Ethylene oxide epichlorohydrin rubber	3 -40 °C +120 °C		 Mineral oil (HL, HLP) Flame-resistant fluids of the group HFB Synthetic ester (HEES) Water Sea water 	 Aromatic hydrocarbons Chlorinated hydrocarbons (HFD-S) Amines and ketones Hydraulic fluids of the group HFD-R Flame-resistant fluids of the groups HFA and HFC Fuels 						
IIR	Butyl rubber	4	-50 °C +120 °C	 Hydraulic fluids of the group HFD-R Flame-resistant fluids of the group HFC Water 	 Mineral oils and mineral greases Synthetic ester (HEES) Skydrol and HyJet IV Aliphatic, chlorinated and aromatic hydrocarbons Fuels 						
FKM	Fluorine rubber	6	-10 °C +150 °C	 Mineral oil (HL, HLP) Hydraulic fluids of the group HFD Synthetic ester (HEES) Fuels Aromatic hydrocarbons Inorganic acids 	 Amines and ketones Ammonia Skydrol and HyJet IV Steam 						

¹⁾ see section 2.1. Model code, material code, diaphragm

2) others available on request

1.5.10 Certificate codes

Hydraulic accumulators which are installed in countries outside Germany are supplied with the test certificates required in that country. The user country must be stated at the time of ordering.

HYDAC pressure vessels can be supplied with virtually any test certificate. Please note that the permitted operating pressure can differ from the nominal pressure.

The following table contains a few examples of the codes used in the model code for different countries of installation.

Country	Certificate code (AKZ)
EU member states	U
Australia	F ¹⁾
Belarus	A6
Canada	S1 ¹⁾
China	A9
Hong Kong	A9
Iceland	U
Japan	Р
Korea (Republic)	A11
New Zealand	Т
Norway	U
Russia	A6
South Africa	S2
Switzerland	U
Turkey	U
Ukraine	A10
USA	S
1) Registration required in the individ	dual territories or

¹⁾ Registration required in the individual territories or provinces.

others on request

On no account must any welding, soldering or mechanical work be carried out on the accumulator shell. After the hydraulic line has been connected it must be completely bled. Work on systems with hydraulic accumulators (repairs, connecting pressure gauges etc.) must only be carried out once the fluid pressure has been released.

Please read the Operating Manual! No. 3.100.BA

Note:

Application examples, accumulator sizing and extracts from approvals regulations on hydraulic accumulators can be found in the catalogue section:

 HYDAC Accumulator Technology No. 3.000

2. TECHNICAL SPECIFICATIONS

2.1. MODEL CODE

Not all combinations are possible. Order example. For further information, please contact HYDAC.

	<u>SB</u>	<u>80210</u> – 2 <u> </u>	<u> </u>	<u>2</u> U – <u>2</u> 	<u>10 AK</u>	<u>0</u>
<u>Series</u>						
Nominal volume [I]						
Tuno						
<u>Type</u> Wold type:						
E1 = rechargeable M28x1 E2 = sealed gas connection with gas pre-charge a E3 = rechargeable, gas valve M16x1.5 /	5 n, as requested ³⁾ M14x1.5					
Screw type						
A6 = rechargeable M28x1 exchangeable diaphr A3 = gas valve M16x1.5 / exchangeable diaphr	5, agm M14x1.5, agm					
· ·						
Material code			+ +			
dependent on operating me standard model = 112 for m	dium ineral oils					
Fluid connection						
3 = stainless steel						
4 = carbon steel with pro	tective coating 1)					
6 = low-temperature stee 7 = other materials	÷1					
Accumulator shell						
0 = plastic coating						
 1 = carbon steel 2 = carbon steel with pro 	tective coating 1)	2)				
4 = stainless steel	courre couling					
6 = low-temperature stee	:1					
Diaphragm						
$2 = NBR^{4}$						
3 = ECO 4 = IIR						
$5 = NBR^{4}$						
6 = FKM)				
	Г П С, СГ DIVI,)				
Certification code						
U = European Pressure E	Equipment Direct	tive (PED)				
Permitted operating press	sure [bar]					
Fluid connection form						
Standard connection = AK	or AB					
e.g. Form AK = G 3/4						

Pre-charge pressure p₀ [bar] at 20 °C, must be stated clearly, if required! ³⁾

- ²⁾ only for parts that come into contact with fluid
- ³⁾ only for E1 or E2 design, when ordered as standard
- ⁴⁾ observe temperature ranges, see section 1.5.

3. TECHNICAL SPECIFICATIONS

- 3.1. WELD TYPE
 - non-exchangeable diaphragms –
- 3.1.1 Drawings



* = alternative fluid connections on request

E 3.100.26/03.16

3.1.2	Dime	nsions																	
Nom.	Perm.	Series	Certifica	te code U	R	ØD	Weight	Q ²⁾	Standard	l fluid (conne	ction							Diag.
	ratio		Permitt.	oper.					Form AK					Form AE	3				
[1]	p ₂ : p ₀		Carbon steel	Stainless steel	[mm]	[mm]	[kg]	[l/min]	F ISO 228	ØG [mm]	L [mm]	B1 [mm]	hex. SW	F ISO 228	H DIN 13	L [mm]	B2 [mm]	hex. SW	
0.075	8:1	250	250	-	91	64	0.7	38	G 1/2	-	14	21	30						1
0.16	8:1	210	210	180	103	74	0.8	- 38	G 1/2	_	14	21	30						1
	-	300	300	-	108	/8	1.1		-					-	not ava	allable			
0.32	8:1	210	210	160	116	93	1.3	95	G 1/2	_	14	21	30						1
		300	300	-	120	96	1.8												-
0.5	8:1	160	160	-	130	102	1.3	95	G 1/2	_	14	21	30	G 1/2	M33x1.5	14	37	41	1
0.0	•••	210	210	-	133	105	1.7		- ···					- · · -			0.		
0.6	8 · 1	330	330	-	151	115	3.3	95	G 1/2	34	14	21	41	G 1/2	M33x1 5	14	37	41	1
	0.1	350	350	-	130	121	3.5		02	<u> </u>	ļ	<u> </u>	50	02		Ľ.	0,	50	3
0.7	8:1	100	100	-	151	106	1.8	95	G 1/2	34	14	21	41	G 1/2	M33x1.5	14	37	41	1
		140	140	-	142	116	1.8									14	37		
0.75	Q · 1	210	210	140	147	121	2.8	05	G 1/2	34	14	21	41	C 1/2	M33v1 5	14	57	11	1
0.75	0.1	250	250	-	152	126	3.6	95	0 1/2 04	34	,-		_ - ·	G 1/2	1013321.5	15	12	41	
		330	330	-	140	126	4]				26				15 4	42		3
	8:1	200	200	-	159	136	3.6					04				4.4	27		1
1	4.4	250	250	-	192	100	4.4	95	G 1/2	34	14	21	41	G 1/2	M33x1.5	14	31	41	2
	4:1	330	330	-	169	126	4.8	1				26	1			15	42	1	4
	1	140	140	–	173	145	3.9	1		1					1		1		
		210	210	-	178	150	5.4	1	0.1/0			21		0.440		14	37		1
1.4	8:1	250	250	-	185	153	5.9	95	G 1/2	34	14		41	G 1/2	M33x1.5		1	41	
		330	330	_	172	155	76	1				33	1			15	42	1	3
		100	100	100	190	160	4												
	8:1	210	210	_	198	167	66					28					33		1
2	4 · 1	250	250	_	232	153	74	150	G 3/4	44	16	20	46	G 3/4	M45x1.5	16		46	2
	8 · 1	330	330	_	181	172	92	-				43					42	1	3
		210	210	_	250	167	8.2										-12		
	4 · 1	250	250		250	170	9.5	1				28					33		2
2.8	T . I	200	200	_	237	170	0.0	150	G 3/4	44	16	13	46	G 3/4	M45x1.5	16		46	1
	6 · 1	330	330	-	201	172	11				43	-				42		- 4	
	0.1	250	210		206	170	11.2					20					22		2
3.5	4:1	230	210	-	274	170	12.0	150	G 3/4	44	16	20	46	G 3/4	M45x1.5	16	33	46	2
		530	330	-	2/4	1/2	13.0					44					42		4
4	4:1	250	-	100	294	150	5 11 0	150	G 3/4	44	16	44	46	G 3/4	M45x1.5	16	33	46	2
	1	1700	-	100	1.500	1170		1	1	1	1	1	1	1	1	1	1	1	1

¹⁾ others on request ²⁾ max. flow rate of operating fluid

3.2. SCREW TYPE

- exchangeable diaphragm -

3.2.1 Drawings

Type A6



Type A3



Fluid connection AK alternative fluid connections on request

Fig. 5

3.2.2 Dimensions

Nom. vol. 1)	Perm. press.	Series	Certifica	ite code U	Weight	A	В	ØD	ØL	M	N	0	ØP	R	Q ²⁾	Standard	l fluid (conne	ction	Diag.
	ratio		Permitt. pressure	oper. e [bar]												Form AK				
[1]	p ₂ : p ₀		Carbon steel	Stainless steel	[kg]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]		[mm]	[mm]	[l/min]	F ISO 228	S [mm]	ØG [mm]	K SW	
0.1	10 : 1	500	500	-	1.9	110	30	95	-	53	35	-	-	-	95	G 1/2	14	-	36	
		500	500	-	3.9	120	20	115	02	56	56									
0.25	10 : 1	500	-	350	4.9	129	20	125	92	50	60	-	-	-	95	G 1/2	14	-	36	
		750	-	750	9	136	11	153	114	57.5	63	M6	140	12				27		
0.6	10 : 1	450	450	250	5.7	170	19	140	115	68	57	-	-	-	95	G 1/2	14	34	41	5
1.3	10 : 1	400	400	_	11.2	212	28	199	160	97	65	M8	180	10	150	G 3/4	16	44	50	
2	10 : 1	250	250	180	11.4	227	17	201	168	101	64	M8	188	10	150	G 3/4	16	44	50	
2.8	10:1	400	400	-	22	257	30	252	207	106	80	M8	230	10	150	G 3/4	16	44	50	
4	10 : 1	400	400	_	34	284	30	287	236	127.5	90	M8	265	10	150	G 3/4	16	44	50	

¹⁾ others on request ²⁾ max. flow rate of operating fluid

4. SPARE PARTS

4.1. WELD TYPE

- non-exchangeable diaphragms -



Description				Quantity	Item	
Spare parts consisting of	set for gas sid	e				
Int. hex. I	ocking screw			20	1	
Protective	e cap		20	2		
Seal ring				20	3	
·	·		·			
Nominal	Part no.					
volume [l]	NBR	ECO	FKM	IIR	PTFE	
Spare parts	set for gas sid	е				
0.075 - 4	3262845	-	-	-	-	

4.2. SCREW TYPE - exchangeable diaphragm -



When replacing seals and/or diaphragms, please read the Instructions for Assembly and Repair (No. 3.100.M).

Description				Quantity	Item
Spare parts consisting of:	set for gas sid	e		· · ·	
Int. hex. I	ocking screw			20	1
Protective	e cap			20	2
Seal ring				20	3
Spare parts consisting of:	kit for elastom	er diaphragm			
Int. hex. I	ocking screw			1	1
Seal ring				1	3
Elastome	r diaphragm			1	4a
Back-up i	ring			1	5a
Spare parts consisting of:	kit for PTFE di	aphragm			
Int. hex. I	ocking screw			1	1
Seal ring				1	3
PTFE dia	phragm			1	4b
O-ring				1	5b
Nominal	Part no.				
volume [l]	NBR	ECO	FKM	IIR	PTFE
Spare parts	set for gas sid	e			
0.1 - 4	3262845	-	-	-	-
Spare parts	kit				
0.1	3042668	3182526	-	-	-
0.25	3042709	3042712	3042714	3042713	3504798
0.6	3042710	3042715	3042717	3042716	3550388
1.3	3042681	3042682	3042684	-	3446897
2	3042711	3042719	3042721	3042720	3464205
2.8	3042700	3042701	3042704	3042702	-
4	3042705	3042706	3042708	3042707	-

4. NOTE

_

_

The information in this brochure relates to

the operating conditions and applications described. For applications and operating conditions not described. please contact the relevant technical department.

Subject to technical modifications.

HYDAC Technology GmbH Industriegebiet 66280 Sulzbach/Saar, Germany Tel.: +49 (0) 68 97 / 509 - 01 Fax: +49 (0) 68 97 / 509 - 464 Internet: www.hydac.com E-Mail: speichertechnik@hydac.com

E 3.100.26/03.16

##